



# PRO ATTACHMENT SERIES™



The ECHO Pro Attachment Series™ (PAS) is the perfect all-in-one solution. In a word, the system delivers versatility. The application flexibility of this expandable lineup is as limitless as your changing job requirements. When your job requires a change, a simple tool-less coupler makes changing to another tool quick and easy. The PAS system is also economical without having to purchase stand-alone, dedicated units or maintain multiple engines - all you need is one power head and a collection of attachments.

## PAS-225

Power Head



The PAS-225 powerhead saves space, time, effort, and money by pairing with twelve available PAS attachments. With professional-grade power and an easy, secure attachment connection, it keeps you prepared for anything the workday can throw your way.

- Tool-less coupler allows for fast easy changes on multiple attachments
- i-30™ starter reduces starting effort by 30%
- Vibration reduction system for increased comfort
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc) .....	<b>21.2</b>
Weight (lbs.) .....	<b>9.3</b>
Fuel Capacity (fl. oz.) .....	<b>14.2</b>
Shaft Length (in.).....	<b>40.7</b>

## PAS-225SB

Power Head +  
Trimmer Attachment



The PAS-225SB features the PAS-225 powerhead with a Speed-Feed® 400 trimmer head attachment included. Designed for unmatched versatility, the trimmer head attachment can be swapped out in seconds for use with twelve available PAS attachments.

- i-30™ starter reduces starting effort by 30%
- Durable debris shield with cut-off knife
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc) .....	<b>21.2</b>
Head Weight (lbs.) .....	<b>9.3</b>
Total Shaft Length (in.).....	<b>59</b>
Fuel Capacity (fl. oz.) .....	<b>14.2</b>
Cutting Head: ..... <b>Speed-Feed® 400</b>	
Cutting Swath (in.) .....	<b>17</b>

## PAS-225VPB

Power Head +  
Trimmer + Blower  
Attachment



The PAS-225VPB features the PAS-225 powerhead with a blower attachment and a Speed-Feed® 400 trimmer head attachment included.

- i-30™ starter reduces starting effort by 30%
- Blower attachment features 100 MPH air flow and 317 CFM
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc) .....	<b>21.2</b>
Head Weight (lbs.) .....	<b>9.3</b>
Total Shaft Length (in.).....	<b>40.7</b>
Fuel Capacity (fl. oz.) .....	<b>14.2</b>
Cutting Head: ..... <b>Speed-Feed® 400</b>	
Cutting Swath (in.) .....	<b>17</b>
Max Air Speed at nozzle (mph) <b>100</b>	
Air volume at nozzle.....	<b>317</b>





PAS

# PAS-225VP

**Power Head +  
Trimmer + Edger  
Attachment**



The PAS-225VP features the PAS-225 powerhead with an edger attachment and a Speed-Feed® 400 trimmer head attachment included.

- i-30™ starter reduces starting effort by 30%
- Vibration reduction system for increased comfort
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc).....	<b>21.2</b>
Head Weight (lbs.).....	<b>9.3</b>
Total Shaft Length (in.).....	<b>40.7</b>
Fuel Capacity (fl. oz.).....	<b>14.2</b>
Cutting Head: .....	<b>Speed-Feed® 400</b>
Cutting Swath (in.).....	<b>17</b>
Blade Length (in.).....	<b>7.75</b>



# PAS-2620 Power Head



The all-job versatility you want, with the all-day ECHO power you need. Whether the work calls for trimming, blowing, brushcutting, edging, bed redefining, sweeping, pruning, hedge trimming or tilling, the best-in-class PAS-2620 powerhead is up to the task.

- Tool-less coupler allows for fast easy changes on up to 15 attachments (see page 51 for list)
- Two-stage air filtration system increases cleaning capability and allows for longer maintenance intervals
- Engine vibration reducing mounting absorbs engine vibration
- Cushioned front and rear handles increase operator comfort

Engine (cc).....	<b>25.4</b>
Weight (lbs.).....	<b>9.9</b>
Fuel Capacity (fl. oz.).....	<b>20.6</b>
Shaft Length (in.).....	<b>40.7</b>



## PAS ATTACHMENTS

### Curved Shaft Trimmer

- Rapid Loader® head
- Curved shaft for precise trimming
- Length: 33 in. Weight: 3.9 lbs.

**Part#: 99944200615**



### Speed-Feed® 400 Trimmer

- 1.62:1 gear ratio
- Easy-loading Speed-Feed 400®
- Length: 34 in. Weight: 3 lbs.


**Part#: 99944200540**



### Pro-Torque™ Trimmer

- 2:1 high-torque gear ratio to power through tough overgrown grass and weeds
- ECHOmatic™ trimmer head
- Length: 34 in. Weight: 3.2 lbs.

**Part#: 99944200545**



### Brushcutter

- 1.62:1 gear ratio
- Includes 8 in. 80-tooth brush blade
- Length: 33 in. Weight: 2.62 lbs.

**Part#: 99944200601**





PAS

### Bed Redefiner

- Patented, replaceable 6-finger steel claw
- Adjustable support wheel
- Length: 34.8 in. Weight: 8.5 lbs.

Part#: 99944200465



### Curved Shaft Edger

- Pro-Torque™ gear case
- Blade length: 7.75 in.
- Length: 33 in. Weight: 5.6 lbs.

Part#: 99944200470AB



### Tiller/Cultivator

- 6.5 in tilling swath
- Heavy-duty gear box
- 42:1 gear reduction
- Length: 35 in. Weight: 4.6 lbs.

Part#: 99944200513



### Mid-Reach Hedge Trimmer

- 21 in. double-sided double-reciprocating RazorEdge® blades
- Length: 37.9 in. Weight: 3.63 lbs.

Part#: 99944200640



### 3 ft. Extension

- Tool-less coupler attaches between the PAS power head and attachment
- Compatible with Power Pruner® and all hedge trimmer attachments
- Length: 36 in. Weight: 2.6 lbs.

Part#: 99944200536



### Pro Paddle™

- 10, 1.625 in. durable rubber fins
- 22.5 in sweeping swath
- Useful for rocks, mulch, pine needles, pine cones, acorns and sand
- Length: 36.5 in. Weight: 11.2 lbs.

Part#: 99944200620



### Blower

- Solid drive shaft with 4-bearing support
- Direct-drive fan for efficient power transfer
- Length: 25 in. Weight: 3.9 lbs.

Part#: 99944200490



### Straight Shaft Edger

- Pro-Torque™ gear case
- Blade length: 7.75 in.
- Length: 33 in. Weight: 5.6 lbs.

Part#: 99944200475



### Standard Hedge Trimmer

- 21 in. double-sided double-reciprocating RazorEdge® blades
- Length: 50.1 in. Weight: 4.13 lbs.

Part#: 99944200486



### Articulating Hedge Trimmer

- 10 blade positions with range of 135°
- 21 in. double-sided double-reciprocating RazorEdge® blades
- 64.4 in. length (extended), 46.3 in. length (storage position)
- Length: 64.4 in. Weight: 5.6 lbs.

Part#: 99944200596



### Power Pruner®

- Heavy-duty gear case and automatic oiler
- Over 8 ft. of total reach
- Comes with a 10 in. bar and chain
- Length: 57 in. Weight: 4.8 lbs.

Part#: 99944200532



### Pro Sweep™

- 22.5 in. sweeping swath
- Perfect for all surfaces including lawn, concrete and oil
- Length: 36 in. Weight: 11.2 lbs.

Part#: 99944200553



# PRO ATTACHMENT SERIES™

	PAS-225	PAS-225VP	PAS-225VPB	PAS-225SB	PAS-2620	DPAS-2100SB 56V	DPAS-2600SB 56V
<b>Features and Benefits</b>							
Tool-less air filter cover for easy access	•	•	•	•	•		
Commercial-grade felt air filtration for long engine life	•	•	•	•			
2-stage air filter for improved filtration and long engine life					•		
i-30™ starting system for 30% starting effort reduction	•	•	•	•			
Digital ignition system for easy starting	•	•	•	•	•		
Purge bulb for easy starting	•	•	•	•	•		
Heavy-duty cylinder/piston plating for increased engine life					•		
Ergonomic throttle handle with rubber grip for comfort	•	•	•	•	•		
Ergonomic, adjustable front handle for a custom fit	•	•	•	•	•		
Engine vibration-reduction system for operator comfort	•	•	•	•	•		
<b>Attachment Compatibility</b>							
Curved Shaft Trimmer	•	•	•	•		•	•
Speed-Feed™ Trimmer	•	•	•	•	•	•	•
Pro-Torque™ Trimmer	•	•	•	•	•	•	•
Brushcutter	•	•	•	•	•	•	•
Bed Redefiner					•		•
Blower	•	•	•	•	•	•	•
Curved Shaft Edger	•	•	•	•	•	•	•
Straight Shaft Edger					•	•	•
Tiller/Cultivator	•	•	•	•	•	•	•
Hedge Trimmer	•	•	•	•	•	•	•
Mid-Reach Hedge Trimmer	•	•	•	•	•	•	•
180° Articulating Hedge Trimmer	•	•	•	•	•	•	•
3 ft. Extension	•	•	•	•	•	•	•
Power Pruner™	•	•	•	•	•	•	•
Pro Paddle™					•	•	•
Pro Sweep™					•	•	•

# SPECIFICATIONS

Model	Engine Disp. (cc)	Carb. (w/Purge Pump)	Fuel Capacity (fl. oz.)	Starting System	Length* (in.)	Dry Weight (lbs.)*
PAS-225	21.2	Rotary	14.2	i-30™	40.7	9.3
PAS-225VP	21.2	Rotary	14.2	i-30™	40.7	9.3
PAS-225VPB	21.2	Rotary	14.2	i-30™	40.7	9.3
PAS-225SB	21.2	Rotary	14.2	i-30™	40.7	9.3
PAS-2620	25.4	Rotary	20.6	Standard	40.7	9.9

\*Power head only